

Package: rosetteApi (via r-universe)

September 16, 2024

Type Package

Title 'Rosette' API

Version 1.14.4

Date 2020-06-17

Description 'Rosette' is an API for multilingual text analysis and information extraction. More information can be found at <https://developer.rosette.com>.

License Apache License 2.0 | file LICENSE

Depends R (>= 3.1.0)

Imports httr, jsonlite

Suggests knitr, rmarkdown, testthat

URL <https://developer.rosette.com>

BugReports <https://developer.rosette.com/support-ticket>

VignetteBuilder knitr

RoxygenNote 7.1.0

NeedsCompilation no

Author Chris Park [aut], Sam Hausmann [aut], Hannah Gaudet [ctb], Ian Redpath [ctb], Seth Gransky [ctb, cre], Basis Technology Corp. [cph]

Maintainer Seth Gransky <seth@basistech.com>

Date/Publication 2020-06-17 23:00:02 UTC

Repository <https://seth-mg.r-universe.dev>

RemoteUrl <https://github.com/cran/rosetteApi>

RemoteRef HEAD

RemoteSha a816dc60eac0a011a3819eec076b2becf0b5f9e0

Contents

api	2
check_address_parameters	3
check_content_parameters	4
check_deduplication	4
check_for_multipart	5
check_morphology	5
check_names	6
create_multipart	6
error_check	7
get_binding_version	7
get_endpoint	8
get_headers	8
post_endpoint	9
serialize_address_params	10
serialize_name_deduplication_parameters	10
serialize_name_parameters	11
serialize_parameters	11

Index	12
--------------	-----------

api	<i>api wrapper function that checks for a user_key and determines the Rosette API endpoint to be utilized</i>
-----	---

Description

api wrapper function that checks for a user_key and determines the Rosette API endpoint to be utilized

Usage

```
api(
  user_key,
  endpoint,
  parameters = FALSE,
  custom_headers = NULL,
  url_parameters = NULL,
  url = "https://api.rosette.com/rest/v1/"
)
```

Arguments

user_key	- Rosette API authentication key
endpoint	- Rosette API endpoint to be utilized
parameters	- parameters list to be passed to specified Rosette API endpoint

custom_headers - custom headers for Rosette Api
url_parameters - query parameters
url - url for Rosette Api

Value

Returns a list(content, header)

Examples

```
## Not run:  
parameters <- list()  
parameters[[ "content" ]] <- "Bill Murray will appear in new Ghostbusters  
film."  
response <- api(01234567890, "entities", parameters)  
# The call above returns response$content and response$header  
  
## End(Not run)
```

check_address_parameters

preemptive check for address-similarity request parameter errors

Description

preemptive check for address-similarity request parameter errors

Usage

check_address_parameters(parameters)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns list of verified parameters to be sent to Rosette API

check_content_parameters

preemptive check for content/contentUri request parameter errors

Description

preemptive check for content/contentUri request parameter errors

Usage

check_content_parameters(parameters)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns list of verified parameters to be sent to Rosette API

check_deduplication *check if the required request parameters for name deduplication are correct*

Description

check if the required request parameters for name deduplication are correct

Usage

check_deduplication(parameters, endpoint)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

endpoint - Rosette API endpoint to be utilized

Value

Returns list of verified parameters to be sent to Rosette API

check_for_multipart *Helper to check for file submission*

Description

Helper to check for file submission

Usage

check_for_multipart(parameters)

Arguments

parameters - JSON parameters

Value

true if multipart

check_morphology *determine which morphology endpoint to use*

Description

determine which morphology endpoint to use

Usage

check_morphology(parameters, endpoint)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint
endpoint - Rosette API endpoint to be utilized

Value

Returns the specified morphology function

check_names *check if the required request parameters for either names endpoint are correct*

Description

check if the required request parameters for either names endpoint are correct

Usage

check_names(parameters, endpoint)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint
endpoint - Rosette API endpoint to be utilized

Value

Returns list of verified parameters to be sent to Rosette API

create_multipart *create a multipart*

Description

create a multipart

Usage

create_multipart(parameters)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns a multipart

error_check	<i>check if Rosette API response includes and error message</i>
-------------	---

Description

check if Rosette API response includes and error message

Usage

error_check(response)

Arguments

response - response from Rosette API

Value

Returns an error if one exists or the Rosette API response

get_binding_version	<i>Provides the binding Version</i>
---------------------	-------------------------------------

Description

Provides the binding Version

Usage

get_binding_version()

Value

current binding version

get_endpoint	<i>httr::GET request to specified Rosette API endpoint</i>
--------------	--

Description

httr::GET request to specified Rosette API endpoint

Usage

```
get_endpoint(
  user_key,
  endpoint,
  url,
  custom_headers = NULL,
  url_parameters = NULL
)
```

Arguments

user_key - Rosette API authentication key
 endpoint - Rosette API endpoint to be utilized
 url - url for Rosette Api
 custom_headers - custom headers for Rosette Api
 url_parameters - url query parameters

Value

Returns the Rosette API response

get_headers	<i>Helper to combine custom headers with the default ones</i>
-------------	---

Description

Helper to combine custom headers with the default ones

Usage

```
get_headers(user_key, content_type = "application/json", custom_headers = NULL)
```

Arguments

user_key - Rosette API authentication key
 content_type - Header Content-Type
 custom_headers - custom headers for the Rosette API

Value

Returns the combined h

post_endpoint	<i>httr::POST request to specified Rosette API endpoint</i>
---------------	---

Description

httr::POST request to specified Rosette API endpoint

Usage

```
post_endpoint(  
  user_key,  
  parameters,  
  endpoint,  
  url,  
  custom_headers = NULL,  
  url_parameters = NULL  
)
```

Arguments

- user_key - Rosette API authentication key
- parameters - parameters list to be passed to specified Rosette API endpoint
- endpoint - Rosette API endpoint to be utilized
- url - url for Rosette Api
- custom_headers - custom headers for Rosette Api
- url_parameters - query parameters

Value

Returns the Rosette API response

serialize_address_params

serialize address-similarity parameters

Description

serialize address-similarity parameters

Usage

serialize_address_params(parameters)

Arguments

parameters - parameters list to be passed to address-similarity

Value

Returns the serialized parameters for the Rosette API

serialize_name_deduplication_parameters

serialize Rosette API parameters

Description

serialize Rosette API parameters

Usage

serialize_name_deduplication_parameters(parameters)

Arguments

parameters - parameters list to be passed to name-deduplication

Value

Returns the serialized parameters for the Rosette API

serialize_name_parameters
serialize Rosette API parameters

Description

serialize Rosette API parameters

Usage

serialize_name_parameters(parameters)

Arguments

parameters - parameters list to be passed to either name-translation or name-similarity

Value

Returns the serialized parameters for the Rosette API

serialize_parameters *serialize Rosette API parameters*

Description

serialize Rosette API parameters

Usage

serialize_parameters(parameters)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns the serialized parameters for the Rosette API

Index

api, [2](#)

check_address_parameters, [3](#)

check_content_parameters, [4](#)

check_deduplication, [4](#)

check_for_multipart, [5](#)

check_morphology, [5](#)

check_names, [6](#)

create_multipart, [6](#)

error_check, [7](#)

get_binding_version, [7](#)

get_endpoint, [8](#)

get_headers, [8](#)

post_endpoint, [9](#)

serialize_address_params, [10](#)

serialize_name_deduplication_parameters,
[10](#)

serialize_name_parameters, [11](#)

serialize_parameters, [11](#)